



Gelen Evrak Tarih Sayı: 20.10.2022 - 14696
T.C. Ticaret Bakanlığı
İthalat Genel Müdürlüğü
Kimya, Tekstil ve Konfeksiyon Dairesi Başkanlığı

Değerli Sanayicilerimiz;

Bilindiği üzere, sanayicimizin ihtiyaç duyduğu **hammadde ve yarı mamul niteliğindeki** sanayi ürünlerine ilişkin her yıl 1 Ocak ve 1 Temmuz tarihlerinde yürürlüğe girecek şekilde yapılan askıya alma, üretim tüketimi karşılamayan ürünlerde ise kota başvuruları, ülkemiz temsilcilerinin de yer aldığı toplantılarda Avrupa Komisyonu tarafından müzakere edilerek karara bağlanmaktadır.

Bu çerçevede, AB ya da Türk firmalarınca 01/07/2023 tarihinden itibaren gümrük vergilerinin askıya alınması veya tarife kontenjanı uygulanması talep edilen eşyaya ilişkin liste **ekte yer almaktadır**. Bu ürünlere ilişkin itirazların Bakanlığımıza **en geç 04/11/2022 tarihine kadar** intikal ettirilmesi gerekmektedir.

Başvuruların işleme konulabilmesi için en geç yukarıda belirtilen tarihe kadar Ticaret Bakanlığı'ndan evrak kayıt numarası almış olması gerekmektedir. İtirazlara ilişkin formlara <https://www.ticaret.gov.tr/ithalat/askiya-alma-ve-tarife-kontenjani/askiya-alma-sistemi> adresinden ulaşılabilmektedir.

Bilgileri ile konunun firmalarımıza **ekteki listeye birlikte** duyurulması hususunda gereğini rica ederim.

Not: Askıya alma sistemine ilişkin detaylı bilgi için 2022/18 sayılı İthalat Tebliği incelenebilir. **Ayrıca firmalar tarafından listede yer alan ürünlerin özel tanımlı olmasından dolayı, GTP'den ziyade ürün tanımlarının incelenip, tanımı karşılayacak üretimin bulunması durumunda başvuru yapılması önem arz etmektedir.**

Sinan YANAZ
Bakan a.
Daire Başkanı

Kerim Özgün Hemdil
Bakan a.
Daire Başkanı

İlgili Kişilerin İletişim Bilgileri:

Hammadde ve Ara mamul sektörleri için:

Müge Dağlı DURUKAN	Uzman	T: 3012 204 95 76	E: durukanm@ticaret.gov.tr
Özge SEZGİN	Uzman	T: 0 312 204 99 25	E: sezgino@ticaret.gov.tr
Koray ÇINAR	Uzman	T: 0312 204 99 33	E: cinark@ticaret.gov.tr
Mehmet BARAN	Uzman Yrd.	T: 0312 204 95 81	E: M.Baran2@ticaret.gov.tr

Elektronik ve makina sektörleri için:

Anıl GÜRTUNA KAYA	Uzman	T: 0 312 204 99 65	E: gurtunaa@ticaret.gov.tr
Fundagül BACI	Uzman	T: 0 312 204 91 46	E: bacif@ticaret.gov.tr
Tuba KÖSE SANDALCI	Uzman	T: 0312 204 99 30	E: sandalcit@ticaret.gov.tr

Gelen Evrak Tarih Sayı: 18.10.2022 - 39473
MERSİN TİCARET VE SANAYİ ODASI

Gelen Evrak Tarih Sayı: 20.10.2022 - 14696

CYCLE 2023-07

Sorting order:

A – first 'quotas', then 'suspensions'

B – **new** requests, **amending** requests.

>>>>The duty suspension and quota requests on the following list are currently under discussion. The data available on this list may not represent the final state of the discussions within the relevant Commission Working group.

Please note that it cannot be guaranteed that the information available exactly reproduces an officially adopted text. Only European Union legislation published in the Official Journal of the European Union is deemed authentic<<<<

CN code	TARIC	Reference Mail	Working Number	Description	QUOTAS	New or amendment request	Partner Position Country	Partner Position	Public Comments
1518 00 95		6490824/2022	2023	Used Cooking Oil made of: - Fatty acid triglyceride (CAS RN 92128-39-7), and - Fatty acids, vegetable oil (CAS RN 61788-66-7)	Q/100000tonnes, 01.07-31.12	New	ES	Applicant	component biodiesel
2710 12 21		6485651/2022	2017	Alkenes, C10-14-branched and linear, C12-rich (CAS RN 93821-12-6)	Q/1500tonnes, 01.07-31.12	New	FR	Applicant	Component for polymers production
2815 12 00		6756412/2022	2500	Sodium hydroxide [membrane class] (CAS RN 1310-73-2) in form of an aqueous solution with a content of sodium hydroxide by weight of 48 % or more but not more than 51 %	Q/350000tonnes, 01.07-31.12	New	AT	Applicant	For use in textile industry
2840 20 90		6836516/2022	1502	Barium diboron tetraoxide (CAS RN 13701-59-2)	Q/130tonnes, 01.07-31.12	New	BE	Applicant	Round 2023-07 : used in coatings as corrosion inhibitor etc.

Gelen Evrak Tarih Sayı: 18.10.2022 - 39473
MERSİN TİCARET VE SANAYİ ODASI

Gelen Evrak Tarih Sayı: 20.10.2022 - 14696

2905 39 95		6790870/2022 6791056/2022	1504	Propane-1,3-diol (CAS RN 504-63-2) of a purity of 99 % or more	Q/1550tonnes, 01.07-31.12	New	DE DE	Applicant Applicant	Round 2023-07: Used in cosmetic industry, including hair care, skin care, body cleansing, makeup, deodorants, baby care, sunscreen, pharmaceutical products.
3824 99 92		6836269/2022	1503	Amides, tall-oil fatty, N,N-di-Me (CAS RN 68308-74-7)	Q/180tonnes, 01.07-31.12	New	BE	Applicant	Round 2023-07 used as a non-biocidal component in biocidal products applied in the pulp and paper industry and in leather treatment
3912 39 85		6759171/2022	1505	Hypromellose (INN) (CAS RN 9004-65-3), for use in the manufacturing of food, food supplements, beverages or pharmaceuticals (1)	Q/2350tonnes, 01.07-31.12	New	NL	Applicant	Round 2023-07: for use in the manufacturing of food, food supplements, beverages or pharmaceuticals
2903 21 00		2258441/2022	3004	NL + FR 10.5.22 Chloroethylene (CAS RN 75-01-4) with a purity by weight of 99 % or more --- Vinyl Chloride, Chloroethylene (Vinyl Chloride Monomer, VCM) (CAS RN 75-01-4)	Q/3750000 kilograms, 01.01-31.12	Amendment	TR FR FR	Applicant Opposed Opposed	Round 2023-07 - roll over request./ Round 2023-01 - Request for TR national quota - Rejected. Used in various applications such as blow molding of bottles and containers, in the production of pipes etc.
8414 30 81		1097/2007 TR	3017	Rotary type compressor, consisting of a single phase or three phase motor with a cooling capacity range between 2Kw to 8Kw, using a refrigerant fluid of type R32 or R410, for use in the manufacture of air conditioning machines (1)	Q/2000000pieces, 01.01-31.12	Amendment	TR	Applicant	Round 2023-07 - Roll-over request for increase./ Round 2023-01- Request for increase (TR national quota)/ REJECTED Round 2020-07 - Request for increase (TR national quota)/ Round 2019-07 - Request for amendment (TR national quota)

Gelen Evrak Tarih Sayı: 18.10.2022 - 39473
MERSİN TİCARET VE SANAYİ ODASI

Gelen Evrak Tarih Sayı: 20.10.2022 - 14696

ex 8482 99 00	30	1518429/2018	3005	Brass cages with the following characteristics: <ul style="list-style-type: none">- continuously or centrifugally cast, turned,- containing by weight 35 % or more, but not more than 38 % of zinc,- containing by weight 0,75 % or more, but not more than 1,25 % of lead,- containing by weight 1,0 % or more, but not more than 1,4 % of aluminium, and- with a tensile strength of 415 Pa or more, of a kind used for the manufacture of ball bearings	Q/100000pieces, 01.01-31.12	Amendment	AT	Applicant	Round 2023-07- request for increase from 50 000 to 100 000 p/st per year. Round 2020-07 - Accepted without any changes. Opened for internal technical reason. Round 2020-01 request for amendment Round 2019-01 accepted during 2nd ETQG meeting the cages are used for the production of ball bearings
ex 8482 99 00	50	4921841/2020	3603	DE(15.09.2023) request for amendment: Inner and/or outer rings made of steel, not hardened, outer ring with internal raceway(s), inner ring with external raceway(s), with external diameters of: <ul style="list-style-type: none">- 14 mm or more but not more than 77 mm for the inner ring,- 26 mm or more but not more than 101 mm for the outer ring --- Current text: Inner and outer rings made of steel, not grinded, outer ring with internal raceway(s), inner ring with an external raceway(s), with external diameters of: <ul style="list-style-type: none">- 14 mm or more but not more than 77 mm for the inner ring, and- 26 mm or more but not more than 101 mm for the outer ring for use in the manufacture of bearings (1)	Q/12000000 kilograms, 01.07-31.12	Amendment	PT	Applicant	Round 2023-07 - request for amendment. Round 2023-01 - Roll over request. Quota set to 12 mil kg for 6 months). Round 2022-07 - The suspension with serial number 0.8088 will be set to deleted. A quota will open for the period 01.07-31.12.2022, with quota volume - 10 million kg. Round 2021-07 of a kind used for the production of one raceway ball bearing

Gelen Evrak Tarih Sayı: 18.10.2022 - 39473
MERSİN TİCARET VE SANAYİ ODASI

Gelen Evrak Tarih Sayı: 20.10.2022 - 14696

CN code	TARIC	Reference Mail	Working Number	Description	Suspensions	New or amendment request	Partner Position Country	Partner Position	Public Comments
1511 90 91		6490591/2022	2022	Refined bleached deodorized palm oil (CAS RN 8002-75-3)	S	New	ES	Applicant	Component for biodiesel production
1518 00 99		2241226/2022	1500	Mix of: - oil from palm mill effluents: Crude Oil from Palm Oil Mill Effluent; and - oil from the pressing of empty palm fruit bunches: Crude Oil from Empty Fruit Bunch Pressing Process – EFB.	S	New	ES EU	Applicant Opposed	Round 2023-07: roll-over request. Classification issue./ Round 2023-01 used as raw material for the manufacture of biofuels
2835 10 00		6146075/2022	1001	Calcium Hypophosphite (CAS RN 7789-79-9) with a purity by weight of 98 % or more	S	New	IT	Applicant	Round 2023/7 product is incorporated as an additive
2903 99 80		6790600/2022	2806	1-fluoronaphthalene (CAS RN 321-38-0) with a purity by weight of 99,5 % or more	S	New	ES	Applicant	For use in pharmaceutical industry
2907 29 00		6707958/2022	2905	Tetramethyl bisphenol F (CAS 5384-21-4) of a purity by weight of 98,5 % or more	S	New	DE	Applicant	Component for packaging industry
2811 22 00		7079710/2022	1700	Mercaptoalkyl 4 silica (CAS RN N/A) with a purity by weight of 98 % or more	S	New	IT	Applicant	Round 2023-07: Works as a metal scavenger
2914 79 00		6489056/2022	2020	(S)-2-amino-2-(3-fluoro-5-methoxyphenyl)ethanol hydrochloride (CAS RN 2095692-22-9) with a purity by weight of 98 % or more	S	New	ES	Applicant	Component for pharmaceutical industry
2915 90 30		6574944/2022	2029	Dodecanoic acid chloromethyl ester (CAS No 61413-67-0) with a purity by weight of 97 % or more	S	New	PL	Applicant	Component for pharmaceutical industry

Gelen Evrak Tarih Sayı: 18.10.2022 - 39473
MERSİN TİCARET VE SANAYİ ODASI

Gelen Evrak Tarih Sayı: 20.10.2022 - 14696

2915 90 70		6396465/2022	2006	3-chloro-2,2-dimethylpropanoyl chloride (CAS RN 4300-97-4) with a purity by weight of 98,5 % or more	S	New	IT	Applicant	Substance for plant protection industry
2916 39 90		6754449/2022	2901	Ethyl 4-bromo-3-(bromomethyl)benzoate (CAS RN 347852-72-6) with a purity by weight of 97 % or more	S	New	AT	Applicant	Used for pharmaceutical production
2918 19 98		6642626/2022	2035	(S)-2-hydroxy-2-phenylacetic acid (CAS RN 17199-29-0) with a purity by weight of 99 % or more	S	New	ES	Applicant	Component for pharmaceutical industry
2920 90 10		6705077/2022	2037	Diethyl carbonate (CAS RN 105-58-8) with a purity by weight of 99,9 % or more	S	New	HU	Applicant	Component for battery industry
2921 19 99		6492822/2022	2024	N-Ethyl-N-isopropylpropan-2-amine 2-(difluoromethoxy)acetate with a purity by weight of 98 % or more.	S	New	ES	Applicant	
2926 90 70		6480148/2022	2011	Reaction product comprising equal quantities of - a-cyano-3-phenoxybenzyl (Z)- (1R,3R)-3-(2-chloro-3,3,3-trifluoroprop-1-enyl)-2,2-dimethylcyclopropanecarboxylate and - a-cyano-3-phenoxybenzyl (Z)- (1S,3S)-3-(2-chloro-3,3,3-trifluoroprop-1-enyl)-2,2-dimethylcyclopropanecarboxylate, (CAS RN 91465-08-6) with a purity by weight of 97 % or more	S	New	IT	Applicant	Component for plant protection industry
2928 00 90		6489127/2022	2021	Ethyl chloro[(4-methoxyphenyl)hydrazono]acetate (CAS RN 27143-07-3) with a purity by weight of 98 % or more	S	New	ES	Applicant	Component for pharmaceutical industry

Gelen Evrak Tarih Sayı: 18.10.2022 - 39473
MERSİN TİCARET VE SANAYİ ODASI

Gelen Evrak Tarih Sayı: 20.10.2022 - 14696

2929 10 00	6159652/2022	2000	Ethyl Isocyanate (CAS RN 109-90-0) with a purity by weight of 98 % or more	S	New	IT	Applicant	Round 2023/07 used for pharmaceutical production
2930 90 98	6146033/2022	1000	Thiodiacetic acid (CAS RN 123-93-3) with a purity by weight of 98 % or more	S	New	IT	Applicant	Round 2023/7 The intermediate is used as a raw material in the chemical synthesis of an active ingredient
2930 90 98	6642658/2022	2036	Potassium salt of O-isopentyl-dithiocarbonate with a purity by weight of 90 % or more, dry, in pellets.	S	New	BG	Applicant	Product for mining industry
2930 90 98	6541059/2022	2028	2,2'-Diallyl-4,4'-sulphonyldiphenol (CAS RN 41481-66-7), with a purity by weight of 96 % or more	S	New	NL	Applicant	Component for paper industry
2931 20 00	6606957/2022	2032	Tributyltin chloride (CAS RN 1461-22-9) of a purity by weight of 80 % or more	S	New	DE	Applicant	Component for pharmaceutical industry
2932 20 90	6540912/2022	2025	(R)-3-(3,4-difluoro-2-methoxyphenyl)-4,5-dimethyl-5-(trifluoromethyl)furan-2(5H)-one with a purity by weight of 98 % or more	S	New	ES	Applicant	Component for pharmaceutical industry
2933 29 90	6159573/2022	2001	4-chloro-2-cyano-N,N-dimethyl-5-p-tolylimidazole-1-sulfonamide (CAS RN 120116-88-3) with a purity by weight of 94 % or more	S	New	IT	Applicant	Round 2023/07 used for pesticides products
2933 39 99	6720201/2022	2802	Fluazinam technical (CAS RN 79622-59-6) with a purity by weight of 97 % or more	S	New	ES	Applicant	Used for production of fungicides
2933 59 95	6708187/2022	2801	1,4,5,6-tetrahydro-1,2-dimethylpyrimidine (CAS RN 4271-96-9) with a purity by weight of 98 % or more	S	New	ES	Applicant	Used for human pharmaceutical industry

Gelen Evrak Tarih Sayı: 18.10.2022 - 39473
MERSİN TİCARET VE SANAYİ ODASI

Gelen Evrak Tarih Sayı: 20.10.2022 - 14696

2933 59 95	6393588/2022	2005	5-Chloro-3-nitropyrazolo[1,5-a]pyrimidine (CAS RN 1363380-51-1) with a purity by weight of 98 % or more	S	New	IT	Applicant	Substance for pharmaceutical industry
2933 59 95	6753587/2022	2804	Active Pharmaceutical Ingredient: Trilaciclib (INN) (CAS RN 1374743-00-6) with a purity by weight of 99,8 % or more	S	New	SI	Applicant	Used for pharmaceutical production
2933 79 00	6488997/2022	2019	<i>R)-tert-butyl 2-(6-(5-chloro-2-(tetrahydro-2H-pyran-4-yl)amino)pyrimidin-4-yl)-1-oxoisindolin-2-yl)propanoate (CAS RN 2095665-45-3) with a purity by weight of 98 % or more</i>	S	New	ES	Applicant	Product for pharmaceutical industry
2933 99 20	6393527	2004	4-([1,2,4]triazolo[1,5-a]pyridin-7-yloxy)-3-methylamine (CAS RN 937263-71-3) with a purity by weight of 98 % or more	S	New	IT	Applicant	Component for pharmaceutical industry
2934 99 90	6159360/2022	1002	3-[2-((2 <i>R</i> ,3 <i>S</i>)-3-((1 <i>R</i>)-1-((<i>tert</i> -butyl(dimethyl)silyloxy)ethyl)-4-oxoazetidin-2-yl)propanoyl]-4,4-dimethyl-1,3-oxazolidin-2-one (CAS RN 114341-89-8) with a purity by weight of 79 % or more	S	New	IT	Applicant	Round 2023/7 Use and type of product into which it is to be incorporated: Antibiotic production through chemical synthesis
2934 99 90	6746463/2022	2803	Cedazuridine (INN) (CAS RN 1141397-80-9) with a purity by weight of 99,0 % or more	S	New	SI	Applicant	Used for pharmaceutical production
2935 90 90	6899888/2022	1501	5-(2-fluorophenyl)-1-(pyridin-3-ylsulfonyl)-1 <i>H</i> -pyrrole-3-carbaldehyde (CAS RN 881677-11-8)	S	New	IE	Applicant	Round 2023-07: for the manufactured of pharmaceutical.
2935 90 90	6540956/2022	2026	2-Bromo-N-(4,5-dimethyl-1,2-oxazol-3-yl)-N-(methoxymethyl) benzene-1-sulfonamide (CAS RN 415697-57-3) with a purity by weight of 97 % or more	S	New	AT	Applicant	Component for pharmaceutical industry

Gelen Evrak Tarih Sayı: 18.10.2022 - 39473
MERSİN TİCARET VE SANAYİ ODASI

Gelen Evrak Tarih Sayı: 20.10.2022 - 14696

2935 90 90	6899888/2022	2809	Sulfonamid; 5-(2-Fluorophenyl)-1-(pyridin-3-ylsulfonyl)-1H-pyrrrol-3-carbaldehyd, commonly known as PSPA or 5-(2-Fluorophenyl)-1-(3-pyridylsulfonyl)pyrrole-3-carbaldehyde (Synonym)	S	New	IE	Applicant	For use in pharmaceutical industry
2942 00 00	6754544/2022	2900	4,4,5,5-Tetramethyl-1,3,2-dioxaborolane (CAS RN 25015-63-8) with a purity by weight of 97,5 % or more, with not more than 1 % of the stabiliser triethylamine (CAS RN 121-44-8)	S	New	AT	Applicant	Used for pharmaceutical production
3824 99 92	6480217/2022	2012	Reaction mass of 3-methylphenyl diphenyl phosphate (CAS RN 69500-28-3), 4-methylphenyl diphenyl phosphate (CAS RN 78-31-9), bis(3-methylphenyl) phenyl phosphate (CAS RN 34909-68-7), 3-methylphenyl 4-methylphenyl phenyl phosphate (CAS RN 222165-66-4) and triphenyl phosphate (CAS RN 115-86-6)	S	New	IT	Applicant	Component flame retardant
3824 99 92	6745332/2022	2902	Mixture of tetrabutyltin (CAS RN 1461-25-2), with a content of not more than 75 %, and tributyltin chloride (CAS RN 1461-22-9) of not more than 20 % by weight and dibutyltin dichloride (CAS RN 683-18-1) of not more than 4 % by weight	S	New	DE	Applicant	For use in glass production / used as a catalyst in the pharmaceutical industry
3824 99 92	6486110/2022	2018	Amines, tri-C8-10-alkyl (CAS RN 68814-95-9)	S	New	FR	Applicant	
3824 99 96	6606836/2022	2030	Preparation containing by weight 60 % or more but not more than 70 % of 1,2-Cyclohexanedicarboxylic acid, calcium salt (1:1), (1R, 2S)-rel- (CAS 491589-22-	S	New	BE	Applicant	Substance for polymer production

Gelen Evrak Tarih Sayı: 18.10.2022 - 39473
MERSİN TİCARET VE SANAYİ ODASI

Gelen Evrak Tarih Sayı: 20.10.2022 - 14696

3824 99 96	6606893/2022	2031	1) and 30 % or more but not more than 40 % of Zinc Stearate (CAS 557-05-1) Preparation containing by weight 60 % or more but not more than 70 % of 1,2-Cyclohexanedicarboxylic acid, calcium salt (1:1), (1R, 2S)-rel- (CAS 491589-22-1), 30 % or more but not more than 40 % of Zinc Stearate (CAS 557-05-1), 1 % or more but not more than 5 % CI Pigment Blue 29 (CAS 57455-37-5) and 1 % or more but not more than 5 % CI Pigment Violet 15 (CAS 12769-96-9).	S	New	BE	Applicant	Component for polymer industry
3907 29 99	6789897/2022	2805	Poly(oxy-1,4-phenyleneoxy-1,4-phenylenecarbonyl-1,4-phenylene) (CAS RN 29658-26-2) containing by weight not more than 35 % of additives	S	New	BE	Applicant	Round 2023-07 : Used in production of Aircraft Applications; Automotive Applications; Dental Applications; Electrical/Electronic Applications; Film; Gears; Hospital Goods; Housings; Industrial Applications; Medical/Healthcare Applications; Oil/Gas Applications; Profiles; Rods; Sheet; Semiconductor Applications
3920 62 19	6707528/2022	2039	Non-transparent poly (ethylene terephthalate) film - Coated on both sides with polyvinylidene difluoride / Polyvinyl fluoride based on fluorinated polymer composites 25 µm thick but not more than 27.5 µm and inner (core) PET 250 µm thick but not more than 275 µm	S	New	TR	Applicant	Product for renewable energy industry

4009 12 00	6707696/2022	2502	<ul style="list-style-type: none">- With peel strength equal to or greater than 60N/1.5 cm (as determined by ASTM D-903)- With a tensile strength equal to or greater than 10000 N/cm² (100MPa) (as determined by the ASTM D-882 method)- With a total thickness of 300 µm or more but not more than 320 µm,- With 1036 mm or more but not more than 1040 mm	S	New	PL	Applicant	Used in automotive industry
7326 90 98	6707449/2022	2038	Disc of a kind used in turbochargers for ensuring the gas flow channel width: <ul style="list-style-type: none">- of iron or steel alloy,- with a heat resistance of 830 °C or more but not more than 1050 °C,- with an external diameter of not more than 92.5 mm,- with an internal diameter of not more than 62 mm	S	New	HU	Applicant	Parts for automotive industry
7326 90 98	6540980/2022	2027	Vane ring of a kind used in turbochargers for fastening gas flow control blades: <ul style="list-style-type: none">- of iron or steel alloy,- with a heat resistance of 830 °C or more but not more than 1050 °C,- with an external diameter of not more than 92 mm,- with holes for holding the gas flow control blades	S	New	HU	Applicant	Parts for automotive industry

Gelen Evrak Tarih Sayı: 18.10.2022 - 39473
MERSİN TİCARET VE SANAYİ ODASI

Gelen Evrak Tarih Sayı: 20.10.2022 - 14696

7608 20 89	6707627/2022	2503	Bent connection tubes used in turbocharged air cooling systems: - with integrated aluminium quick coupler, - with oval bent connection side - made of aluminium alloy 3103 and/or 6060 (1)	S	New	PL	Applicant	Used in automotive industry
7609 00 00 8708 91 99	6480273/2022	2013	Flame brazed aluminium block for connecting tubes in automotive heat exchangers and/or turbocharged air coolers and/or automatic transmission coolers: - with extruded, bent connection tubes with an outer diameter of 5 mm or more, but not more than 25 mm, - with a mass of 0,02 kg or more, but not more than 0,25 kg, for use in the manufacture cooling system in vehicles of chapter 87 (1)	S	New	PL	Applicant	Parts for automotive industry
7609 00 00 8415 90 00	6800405/2022	2807	Aluminium connection block for the manufacture of automotive cooling and air conditioning systems: - weighing of 3 g or more, but not more than 400 g, - manufactured from 6061-t6 or 6060-t6 or 6082-t6 aluminium grade, - being an integral part of an air conditioning hose assembly or oil cooling line hose assembly or air brake line hose assembly or water cooling line hose assembly, - having holes (sockets) or splines (pilots) or threads that allow installation in an automotive or other air	S	New	PL	Applicant	For use in the automotive industry

7609 00 00	6707825/2022	2501	conditioning system (also understood as installation in the line), - with sockets designed for brazing or fastening, - with at least 1 through-hole with a diameter of 3 mm or more, but not more than 25 mm	S	New	PL	Applicant	For use in automotive industry
8105 90 00	6459858/2022	2008	Machined aluminium components: - with an amount of magnesium of 0,55 %, or more but not more than 0,61 % - with an amount of silicon of 0,55 %, or more but not more than 0,61 % - with a hardening state of T5 or T6 - with a mass of 0,05 kg or more, but not more than 0,2 kg used in CO2 cooling systems in motor vehicles (1)	S	New	FR	Applicant	Component for metallurgical industry
8409 91 00	6483017/2022	2015	Strip-shape ductile cobalt, with a: - width of 10,1 mm or more, but not more 10,3 mm, - thickness of 0,23 mm or more, but not more than 0,27 mm, and - length of 300 m or more, but not more 2 560 m Camshaft carrier for a spark-ignition piston internal combustion engine, made of ADC12 aluminium alloy, with: - weight of 4,0 kg or more but not more than 5,5 kg, - wall thickness of 2,0 mm or more but not more than 6,0 mm, for use in the manufacture of motor vehicle engines	S	New	SK	Applicant	Parts for the automotive industry

Gelen Evrak Tarih Sayı: 18.10.2022 - 39473
MERSİN TİCARET VE SANAYİ ODASI

Gelen Evrak Tarih Sayı: 20.10.2022 - 14696

8409 91 00	6484103/2022	2016	(1)	Crankcase for 4-cylinder spark-ignition piston internal combustion engine, made of ADC12 aluminium alloy, for use in the manufacture of motor vehicle engines (2) (1)	S	New	SK	Applicant	Parts for automotive industry
8414 90 00	6830561/2022	2808		Scroll type compressor housing of an aluminium alloy of a kind used in turbochargers with: - a heat resistance of 200 °C or more but not more than 250 °C, - a surface suitable for mounting an actuator	S	New	HU	Applicant	For use in automotive industry
8414 90 00	6708104/2022	2800		Fan assy made of aluminium and magnesium alloy: - with an outer diameter 54 mm or more but not more than 130 mm, - with a height of 8 mm or more but not more than 30 mm, - two discs connected by blades of involute shape, - with or without dowel, and - with or without washer	S	New	SI	Applicant	Parts for motor manufacture
8415 90 00	6480335/2022	2014		Electrically welded manifolds for the condenser in automotive air conditioning systems: - consisting of a tube produced by stamping an aluminium strip and joining by electric arc welding, - containing internal baffles responsible for the proper flow of coolant, - with a length of 190 mm or more, but not more than 460 mm,	S	New	PL	Applicant	

8501 32 00	7080081/2022	1702	FUEL CELL MODULE. The module has a PEM fuel cell with a DC/DC converter with an output between 60/80 kW in a voltage range of 400 to 750 V.It also contains an air compressor, a water pump, and a hydrogen pump. Hydrogen tank and high voltage battery are not included. 850132 Of an output exceeding 750 W but not exceeding 75 kWElectric motors and generators (excluding generating sets) - Toyota fuel cell module is a DC Generator, exceeding 750 W, but not exceeding 75kW, not Aircraft	S	New	BE EU	Applicant Opposed	Round 2023-07: battery related product
8501 33 00	7079843/2022	1701	FUEL CELL MODULE The module has a PEM fuel cell with a DC/DC converter with an output between 60/80 kW in a voltage range of 400 to 750 V It also contains an air compressor, a water pump, and a hydrogen pump. Hydrogen tank and high voltage battery are not included. 850133 Of an output exceeding 75 kW but not exceeding 375 kW Electric motors and generators (excluding generating sets) - Toyota fuel cell module is a DC Generator, exceeding 75 kW, not exceeding 375 kW Not Aircraft, not drive	S	New	BE EU	Applicant Opposed	Round 2023-07: battery related

Gelen Evrak Tarih Sayı: 18.10.2022 - 39473
MERSİN TİCARET VE SANAYİ ODASI

Gelen Evrak Tarih Sayı: 20.10.2022 - 14696

8501 53 50	6404155/2022	2007	motor for motor vehicle, not AC or DC motor Asynchronous traction motor, with: - a continuous power of 140 kW or more but not more than 180 kW, - a liquid cooled system, - a total length of 580 mm or more but not more than 730 mm, - a total width of 550 mm or more but not more than 670 mm, - a total height of 510 mm or more but not more than 630 mm, - weighing of not more than 390 kg, - 2 mounting points	S	New	PL	Applicant	parts for automotive industry
8505 11 00	6620328/2022	2034	Two magnets in a rectangular steel holder with an outer casing of rubber with outer dimensions: - a length of 200 mm or more but not more than 205 mm - a width of 58 mm or more but not more than 62 mm - a height of 25 or more but not more than 30 with a stud mounted in the middle	S	New	DK	Applicant	Parts for renewable energy sector
8512 30 90	6374014/2022	2002	Device for simulating engine sound at reduced speed of a hybrid or electric vehicle: - containing at least printed circuit board and loudspeaker, - in a plastic housing with a holder, for use in the manufacture of goods of Chapter 87 (1)	S	New	SK	Applicant	Parts for cars

Gelen Evrak Tarih Sayı: 18.10.2022 - 39473
MERSİN TİCARET VE SANAYİ ODASI

Gelen Evrak Tarih Sayı: 20.10.2022 - 14696

8512 90 90	6374151/2022	2003	Ultrasonic parking sensor, with voltage of 9 VDC or more, but not more than 16 VDC (direct current voltage), with ability to detect by the ultrasonic method the presence of an object behind and in front of the vehicle, consisting at least of: - a transmitter, - a receiver, - a control unit, - a connector, for use in the manufacture of goods of Chapter 87 (1)	S	New	SK	Applicant	Parts for automotive industry
8537 10 91	6460984/2022	2009	Electronic suspension control unit with: - printed circuit board in plastic housing, - LIN and CAN buses, - memories, - signal processor, - an operating voltage of 9 VDC or more, but not more than 16 VDC (direct current voltage), - at least one connector, - whether or not with metal mounting bracket, for use in the manufacture of goods of Chapter 87 (1)	S	New	SK	Applicant	Parts for automotive industry
8708 50 20	6461042/2022	2010	Propeller shaft for torque transmission from the gearbox to the rear axle, consisting of: - two cardan rods, - central universal joint, - central bearing with suspension in a plastic cover,	S	New	SK	Applicant	Parts for automotive industry

Gelen Evrak Tarih Sayı: 18.10.2022 - 39473
MERSİN TİCARET VE SANAYİ ODASI

Gelen Evrak Tarih Sayı: 20.10.2022 - 14696

ex 3601 00 00	20	164630/2010 PROLONG 2022	3602	<p>PL(12.09.2022):request for amendment Pyrotechnical mixture in cylindrical shape or granulate form, composed of strontium nitrate or copper nitrate or basic copper nitrate in a matrix of nitroguanidine or guanidine nitrate, also containing a binder and additives, used as a component of airbag inflators</p> <p>---</p> <p>Current text: Pyrotechnical mixture in cylindrical shape or granulate form, composed of strontium nitrate or copper nitrate in a matrix of nitroguanidine or guanidine nitrate, also containing a binder and additives, used as a component of airbag inflators (1)</p>	S	Amendment	PL	Applicant	Round 2023-07: request for amendment. The material is used to manufacture gas generators for automobiles. The gas generators are used for Airbags
ex 3903 90 90	86	1201/2008 PROLONG 2019	3009	<p>NL(13.09.2022) request for amendment: Mixture containing by weight: - 45 % or more but not more than 65 % of polymers of styrene, - 30 % or more but not more than 45 % of poly(phenylene ether), - not more than 11 % of additives</p> <p>---</p> <p>Current text: Mixture containing by weight: - 45 % or more but not more than 65 % of polymers of styrene - 35 % or more but not more than 45 % of poly(phenylene ether) - not more than 10 % of other additives and with one or more of the following special colour effects:</p>	S	Amendment	BE	Applicant	Round 2023-07: request for amendment./ Prolongation Exercise 2019-01-01 Prolongation Exercise 1/1/2014

Gelen Evrak Tarih Sayı: 18.10.2022 - 39473
MERSİN TİCARET VE SANAYİ ODASI

Gelen Evrak Tarih Sayı: 20.10.2022 - 14696

ex 3907 29 20	50	824715/2014 PROLONG 2020	3008	<p>- metallic or pearlescent with a visual angular metamerism caused by at least 0,3 % flake-based pigment</p> <p>- fluorescent, as characterized by emitting light during absorption of ultraviolet radiation</p> <p>- bright white, as characterized by L* not less than 92 and b* not more than 2 and a* between -5 and 7 on the CIE Lab colour scale</p> <p>NL(13.09.2022) request for amendment: Poly(p-phenylene oxide) in the form of powder</p> <ul style="list-style-type: none">- with a glass-transition temperature of 210 °C or more,- with a weight average molecular weight (Mw) of 35 000 or more but not more than 80 000,- with an inherent viscosity of 0,2 or more but not more than 0,6 dl/gram <p>---</p> <p>Current text: Poly(p-phenylene oxide) in the form of powder</p> <ul style="list-style-type: none">- with a glass transition temperature of 210 °C,- with a weight average molecular weight (Mw) of 35 000 or more but not more than 80 000,- with an inherent viscosity of 0,2 or more but not more than 0,6 dl/gram	S	Amendment	NL	Applicant	Round 2023-07: request for amendment./ Round 2022-01- old code 39072020, new code 39072920 (HS 2022). Old code 39072999 - deleted Prolongation Exercise 2020-01-01 ROUND 2015-01 PPE powder is most commonly mixed in polystyrene, polyamide or other polymer with stabilizing additives flame retardant additives, glass fibres or colour pigment for unique performance characteristics
ex 3919 90 80	51	1702/16/2002 PROLONG 2019	3014	<p>DE(15.09.2022) request for amendment: Biaxially-oriented film of poly(methyl methacrylate), of a thickness of 50µm or more but not exceeding 125 µm</p>	S	Amendment	DE	Applicant	Round 2023-07: request for amendment./ Prolongation Exercise 2019-01-01//

Gelen Evrak Tarih Sayı: 18.10.2022 - 39473
MERSİN TİCARET VE SANAYİ ODASI

Gelen Evrak Tarih Sayı: 20.10.2022 - 14696

ex 8408 90 65	20	5950533/2021	3006	<p>AT(13.09.2022) request for amendment: Compression-ignition internal combustion piston engines:</p> <ul style="list-style-type: none">- of the inline type,- with a cylinder capacity of 7 000 cm³ or more but not more than 18 100 cm³,- with a power of 205 kW or more but not more than 597 kW,- with an exhaust after-treatment module,- with external width/height/depth dimensions of not more than 1 310/ dimensions of not more than 1 310/ - 1 300/1 040 mm or 2 005/1 505/1 300 mm or 2 005/1 505/1 800 mm, <p>for use in the manufacture of crushing, screening, separation or compost turning machines</p> <p>---</p> <p>Current text description: Compression-ignition internal combustion piston engines:</p> <ul style="list-style-type: none">- of the inline type,- with a cylinder capacity of 7 100 cm³ or more but not more than 18 000 cm³,- with a power of 205 kW or more but not more than 597 kW,- with an exhaust after-treatment module,- with external width/height/depth dimensions of not more than 1 310/1 300/1 040 mm or 2 005/1 505/1 300 mm or 2 005/1 505/1 800 mm, <p>for use in the manufacture of crushing, screening or separation machines</p> <p>(1)</p>	S	Amendment	AT	Applicant	Round 2023-07 - request for amendment./ Round 2022/7 Diesel engine for hydraulic, mechanical or generator drives in machines for the treatment of solid waste, biomass or compost
---------------	----	--------------	------	--	---	------------------	----	-----------	---

Gelen Evrak Tarih Sayı: 18.10.2022 - 39473
MERSİN TİCARET VE SANAYİ ODASI

Gelen Evrak Tarih Sayı: 20.10.2022 - 14696

ex 8501 10 99	75	1093188/2015 PROLONG 2021	3012	<p>HU (14.09.2022) request for amendment:</p> <ul style="list-style-type: none">- a permanently excited DC motor with a multiple-phase winding,- an external diameter of 24 mm or more but not more than 38 mm,- a rated speed of not more than 12 000 rpm,- a power supply voltage of 8 V or more but not more than 27 V <p>---</p> <p>Current text:</p> <p>Permanently excited DC motor with</p> <ul style="list-style-type: none">- a multiple-phase winding,- an external diameter of 28 mm or more but not more than 35 mm,- a rated speed of not more than 12 000 rpm,- a power supply voltage of 8 V or more but not more than 27 V	S	Amendment	DE	Applicant	Round 2023-07: Request for amendment./ Prolongation Exercise 2021-01-01/ ROUND 01-2016 Motor for actuator
ex 8501 10 99	79	1805/10/2003 PROLONG 2019	3013	<p>HU(14.09.2022): request for amendment:</p> <p>DC motor with brushes and an internal rotor with a three-phase winding, whether or not equipped with a worm or a pinion, of a specified temperature range covering at least - 20°C to + 70°C</p> <p>---</p> <p>Current text:</p> <p>DC motor with brushes and an internal rotor with a three-phase winding, whether or not equipped with a worm, of a specified temperature range covering at least - 20 °C to + 70 °C</p>	S	Amendment	HU AT	Applicant Co-applicant	Round 2023-07 -Request for amendment./ Round 2020-01 -Request for amendment./ Prolongation Exercise 2019-01-01 Prolongation Exercise 1/1/2014

ex 8505 19 10	20	2200205/2019	3010	<p>SL (12.09.2022) request for removal of the end-use requirement: Arc segments of permanent magnets of agglomerated ferrite, with:</p> <ul style="list-style-type: none">- a length of 16,8 mm or more, but not more than 110,2 mm,- a width of 14,8 mm or more, but not more than 75,2 mm, and- a thickness of 4,8 mm or more, but not more than 13,2 mm <p>---</p> <p>Current text: Arc segments of permanent magnets of agglomerated ferrite, with:</p> <ul style="list-style-type: none">- a length of 16,8 mm or more, but not more than 110,2 mm,- a width of 14,8 mm or more, but not more than 75,2 mm,- a thickness of 4,8 mm or more, but not more than 13,2 mm, <p>for use in the manufacture of electromotor rotors for ventilation and air-conditioning systems (1)</p>	S	Amendment	SI	Applicant	Round 2023-07: request for amendment./ Round 2020-01 meant to be installed on rotor of electromotor that is used in applications in ventilation and air-conditioning systems
ex 8507 60 00	33	1232310/2015	3003	<p>NL(14.09.2022) request for amendment: Lithium-ion accumulator, with:</p> <ul style="list-style-type: none">- a length of 150 mm or more, but not more than 1 310 mm,- a width of 100 mm or more, but not more than 1 000 mm,- a height of 200 mm or more, but not more than 1 500 mm,- a weight of 75 kg or more, but not more than 200 kg,- a nominal capacity not less than 58 Ah and not more than 500 Ah	S	Amendment	NL EU	Applicant Opposed	Round 2023-07: request for amendment. Round 2023-01 - review of the suspension Round 2022-01: review of the measure. Round 2021-01: review of the measure. Round 2020-07 - Objection-withdrawn.

Gelen Evrak Tarih Sayı: 18.10.2022 - 39473
MERSİN TİCARET VE SANAYİ ODASI

Gelen Evrak Tarih Sayı: 20.10.2022 - 14696

ex 8536 49 00	50	1940311/2019	3001	<p>- a nominal output voltage of 230V AC (line to neutral) or a nominal voltage of 50V ($\pm 10\%$)</p> <p>----- Current text: Lithium-ion accumulator, with:</p> <ul style="list-style-type: none">- a length of 150 mm or more, but not more than 1,000 mm,- a width of 100 mm or more, but not more than 1,000 mm,- a height of 200 mm or more, but not more than 1,500 mm,- a weight of 75 kg or more, but not more than 200 kg,- a nominal capacity not less than 150Ah and not more than 500 Ah,- a nominal output voltage of 230V AC (Line to neutral) or a nominal voltage of 64V ($\pm 10\%$)	S	Amendment	TR	Applicant	<p>Round 2020-01- Amendment - duty rate set to 1,3%. ROUND 07/2019: request for amendment</p> <p>ROUND 01-2016 The product is a battery pack for use in a stationary energy storage application.</p>
				<p>TR(14.09.2022) request for amendment: Relay in the shape of a cube with:</p> <ul style="list-style-type: none">- a coil operating voltage of 12 VDC or more, but not more than 24 VDC,- a contact current carrying capacity of 5A or more, but not more than 15A,- a contact voltage of 80 VAC or more, but not more than 270 VAC- outer dimensions of 19 mm ($\pm 0,4$ mm) X 15,2 mm ($\pm 0,4$ mm) X 15,5 mm ($\pm 0,4$ mm) <p>for use in the production of control board of white goods</p> <p>----- Current text: Relay with:</p>					<p>Round 2023-07- requests for amendment. Round 2020-01 for use in the production of control boards of white goods</p>

ex 8537 10 98	50	3033461/2014 PROLONG 2020	3011	<p>- a contact current carrying capacity of 5 A or more but not more than 15 A, - a nominal voltage of 80 V or more but not more than 270 V, and - outer dimensions of 19 mm x 15,2 mm x 15,5 mm, for use in the manufacture of control boards for household appliances (1)</p> <p>SK(12.09.2023) request for amendment: Electronic control unit (BCM (Body Control Module, IBU (Integrated Body Control Module), or similar): - comprising at least: plastic box with printed circuit board - whether or not with metal holder, with voltage of 9 VDC or more, but not more than 16 VDC (direct current voltage), - able to control, evaluate and manage functions of assisting services in an automobile, at least wiper timing, window heating, interior lighting, seat belt reminder, of a kind used in the manufacture of goods of Chapter 87</p> <p>---</p> <p>Current text: Electronic control unit BCM (Body Control Module) comprising - plastic box with printed circuit board and metal holder, - with voltage of 9V or more, but not more than 16V, - able to control, evaluate and manage functions of assisting services in an automobile, at least wiper timing,</p>	S	Amendment	SK	Applicant	<p>Round 2023-07- Request for amendment./ Prolongation Exercise 2020-01-01/ Round 2017-01 :CN change 8537 10 99 50 -> 8537 10 98 50 ROUND 2015-07 Electronic control unit will be placed in the dashboard of a car.</p>
---------------	----	---------------------------------	------	---	---	------------------	----	-----------	---

ex 8540 91 00	20	4610399/2017 PROLONG 2023	3007	window heating, interior lighting, seat belt reminder of a kind used in the manufacture of goods of Chapter 87	S	Amendment	AT	Applicant	Round 2023-07 ; request for amendment./. Prolongation Exercise 2023-01-01 ROUND 2018-07 for incorporation into a cathode ray tube for raster electron microscopes, semiconductor inspection systems or electron beam lithography devices.
ex 8708 40 20	80	5701899/2021	3015	AT(13.09.2022) request for amendment: Thermionic electron source (emitter point) of lanthanum hexaboride (CAS RN 12008-21-8) or cerium hexaboride (CAS RN 12008-02-5), with or without a metal housing with electric connectors having - a graphite carbon shield mounted in a mini-Vogel type system, - separate pyrolytic carbon blocks used as heating elements, and - a cathode temperature of less than 1 800 K at a filament current of 1,26 A ---- Current text: Thermionic electron source (emitter point) of lanthanum hexaboride (CAS RN 12008-21-8) or cerium hexaboride (CAS RN 12008-02-5), in a metal housing with electric connectors having - a graphite carbon shield mounted in a mini-Vogel type system - separate pyrolytic carbon blocks used as heating elements and - a cathode temperature of less than 1800 K at a filament current of 1,26 A	S	Amendment	SE	Applicant	Round 2023-07 : request for amendment./. Round 2023-01 adding supplementary unit - p/st./ Round 2022/7

Gelen Evrak Tarih Sayı: 18.10.2022 - 39473
MERSİN TİCARET VE SANAYİ ODASI

Gelen Evrak Tarih Sayı: 20.10.2022 - 14696

ex 8714 99 90	40	1550250/2019	3700	Stem for bicycle handlebars, for use in the manufacture of bicycles (including electric bicycles) (1)	S	Amendment	DE AT	Applicant Co-applicant	Used in the manufacture of bicycles Round 2023-07: Adding supplementary unit p/st./ Round 2020-01 used in the manufacture of bicycles
ex 9002 11 00	23	1794993/2020	3000	DE(15.09.2023): Lens with: - motorized focus, zoom, aperture, - electronically switchable infrared cut filter, - an adjustable focal length not less than 2,7 mm and not more than 55mm, - a weight of not more than 120 g, - a length of less than 70 mm, - a diameter of not more than 70 mm --- Current text Lenses with: - motorized focus, zoom, aperture, - electronically switchable infrared cut filter, - an adjustable focal length not less than 2,7 mm and not more than 55 mm, - a weight of not more than 100 g, - a length of less than 70 mm, - a diameter of not more than 60 mm	S	Amendment	DE	Applicant	Round 2023-07 - request for amendment./ Round 2021-01 Intended use: assembly in cctv cameras.

Gelen Evrak Tarih Sayı: 18.10.2022 - 39473
MERSİN TICARET VE SANAYİ ODASI

Gelen Evrak Tarih Sayı: 20.10.2022 - 14696

(1) Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)